

Threephase industrial vac with powerful side-channel blower

ATTIX 145 and 155 are mobile industrial vacs available with a powerful double stage side-channel blower and 100L capacity bin. The all-steel construction secures a strong and reliable machine for heavy industrial vacuum cleaning in mechanical, ceramics, food and chemical industries.

Thanks to its high performances, ATTIX 145 & 155 are the ideal industrial three phase vacs for the general cleaning in all kind of industry, especially when large quantity of dust have to be collected. They can run for many hours without requiring maintenance thanks to their very silent and reliable double stage side-channel blower. The lower position of the blower gives it a great stability even when moving on rough floors. A handle all around the machine allows pulling or pushing it from a working place to another one. L-class filter is fitted as standard, but M-class filter and HEPA-filter is available as option when fine dust has to be removed. Furthermore the manual filter shaker guarantees a perfect efficiency of the filtration. An accessory box, a cable and hose/tube holder make ATTIX 145 & 155 very ergonomic and simplifies the daily work of the operator. From its protected position, the manometer shows to the operator when the filtration efficiency decreases, inviting him to shake the filter. The ON/OFF switch is placed on the rear of the chassis inside the carter in order to protect it against shock.

PRODUCT FACTS

- 2,2 or 4 kW side
- channel blower on a solid steel chassis,
- Strong and reliable,
- 100L SitDown container with castors & handle,
- Manual Filter shaker as standard,
- Cable, hose and tube holders,
- L
- class filter as standard,
- M Class and HEPA filters available as option,
- Mechanical floater as option for liquid collection,
- Accessory box & cable/hose holders,
- Manometer,
- Plug with phase inverter,



www.nilfisk-alto.com

ATTIX 145 & 155

Model	ATTIX 145	ATTIX 155	
Ref. no	4030500151	4030800366	
Description	ATTIX 145-01 400/3/50 EU	ATTIX 155-01 400/3/50 EU	
PRODUCT FEATURES			
PLUG WITH PHASE INVERTER	•	-	
ANTI-STATIC SYSTEM		•	
MANUAL FILTER SHAKER		=	
L CLASS FILTER			
100 L. BIN		-	
RELEASE CONTAINER SYSTEM		•	
CHASSIS ON WHEELS WITH BRAKES	•	-	
MANOMETER			
WET & DRY PERFORMANCE		-	
THREE PHASE LATERAL CHANEL BLOWER			
STORAGE OF ACCESSORIES			
INCL. ACCESSORIES			
4072200392 ADAPTOR D70 CFM-ALTO INLET 70 CFM HOSE	•	-	
40000338 KIT STAR FILTER D460 L CLASS			
Technical specifications	ATTIX 145-01 400/3/50 EU	ATTIX 155-01 400/3/50 EU	
CABLE LENGTH (M)	9	9	
PROTECTION CLASS (ELECTRICAL)		3	
IP PROTECTION CLASS	55	55	
RATED POWER (W)	2200	4000	
MAINS CONNECTION (V/~/HZ/A)	400/3/50	400/3/50	
AIR FLOW RATE (L/M)	5250	8600	
VACUUM (MBAR/KPA)	300/30	300/30	
SOUND PRESSURE LEVEL AT 1.5 M (db(A) IEC 60704-2)	68	72	
CONTAINER CAPACITY (L)	100	100	
MAIN FILTER TYPE	L-Class	L-Class	
MAIN FILTER AREA (M ²)	1.95	1.95	
INLET (MM)	70	70	
LENGTH X WIDTH X HEIGHT (CM)	1130 x 600 x 1530	1130 x 600 x 1530	
	1100 × 000 × 1000	1100 x 000 x 1000	

114



WEIGHT (KG)

www.nilfisk-alto.com

139

Accessorie	es	Ref. no	Min. required	ATTIX 145	ATTIX 155
	Bag	· · · · · · · · · · · · · · · · · · ·	9		*
0	MINI PACKAGE 4x20 MT 55 MICRON LONGOPAC	4084000956	1	•	
	PACKAGE OF 5 BAGS D460 LDPE	4084001017	1	-	
	Filters	J			1
Q	KIT STAR FILTER D460 L CLASS	40000338	1	•	
	18 POCKET STAR FILTER KIT M CLASS	40000699	1		
	Assembly	,	,		3
Q	HOSE HOLDER KIT	40000856	1		-
	GRID AND VALVE D460 FE COMPLETE	Z5 60034	1		
	REMOVABLE CYCLONE D460 FE COMPLETE BIG	Z5 60109	1		
	Others				1
	TRIM BASKET KIT D460 L100	40000915	1		
	DISCHARGE KIT MS2-S3-T30S	4056000468	1		
•	ADAPTOR D70 CFM-ALTO INLET 70 CFM HOSE	4072200392	1		
	COMPLETE BIN D460 L100 SS S3	4083000510	1		



www.nilfisk-alto.com